

**Amendments to the Specification:**

Please replace the paragraph at page 16, line 23 through page 21, line 20, with the following paragraph:

--In further embodiments of formula I, the compound is any one of

(S)-1-{2-[2-(4-Fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(4-Trifluoromethyl-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(4-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3-Chloro-phenoxy)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(4-Chloro-phenoxy)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(4-Methoxy-phenoxy)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
(S)-1-{2-[2-(3,4-Difluoro-phenoxy)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
1-{2(R/S)-[2-(4-Chloro-phenoxy)-phenoxy]-propyl}-pyrrolidine-2(S)-carboxylic acid,  
1-{2(R/S)-[2-(3,4-Difluoro-phenoxy)-phenoxy]-propyl}-pyrrolidine-2(S)-carboxylic acid,  
(S)-1-{2-[2-(3-Fluoro-phenoxy)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,  
1-{2(R/S)-[2-(3-Fluoro-phenoxy)-phenoxy]-propyl}-pyrrolidine-2(S)-carboxylic acid,  
1-{2(R/S)-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propyl}-pyrrolidine-2(S)-carboxylic acid,  
1-{2(R/S)-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propyl}-pyrrolidine-2(S)-carboxylic acid,  
({2-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-ethyl}-N-ethyl-amino)-acetic acid,  
2-{3-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
~~({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid~~ ({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
({2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
{2-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-piperidin-1-yl}-acetic acid,  
({2-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
{4-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-piperidin-1-yl}-acetic acid,

(N-2-propyl-{2-[2-(4-trifluoromethyl-phenylsulfanyl)-phenoxy]-ethyl}-amino)-acetic acid,  
({2-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-ethyl}-N-ethyl-amino)-acetic acid,  
(N-Ethyl-{2-[2-(4-methylsulfanyl-phenylsulfanyl)-phenoxy]-ethyl}-amino)-acetic acid,  
2-{3-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
(S)-{3-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-acetic acid,  
({2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-N-ethyl-amino)-acetic acid,  
(N-2-propyl-{2-[2-(4-methylsulfanyl-phenylsulfanyl)-phenoxy]-ethyl}-amino)-acetic acid,  
{3-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-acetic acid,  
({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-ethyl-amino)-acetic acid,  
({2-[2-(4-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
{4-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-piperidin-1-yl}-acetic acid,  
2-{3-[2-(4-Trifluoromethyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
({2-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-ethyl}-N-2-propyl-amino)-acetic acid  
({2-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
{2-[2-(4-Methylsulfanyl-phenylsulfanyl)-phenoxy-methyl]-piperidin-1-yl}-acetic acid,  
({2-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid,  
(N-Methyl-{2-[2-(4-trifluoromethyl-phenylsulfanyl)-phenoxy]-ethyl}-amino)-acetic acid,  
2-{3(R)-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
2-{3(R)-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
2-[3(R)-(2-(4-methylphenyl)-sulfanyl-phenoxy)-pyrrolidin-1-yl]-propionic acid,  
{3(R)-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-acetic acid,  
2-{3(R)-[2-(4-Trifluoromethyl-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
2-{3(R)-[2-(4-Chloro-phenylsulfanyl)-phenoxy]-pyrrolidin-1-yl}-propionic acid,  
({1-[2-(3-Chloro-phenylsulfanyl)-phenoxy-methyl]-propyl}-N-ethyl-amino)-acetic acid,  
~~({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-butan-2-yl}-N-ethyl-amino)-acetic acid~~ ({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-butan-2-yl}-N-ethyl-amino)-acetic acid,  
({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-butan-3-methyl-2-yl}-N-ethyl-amino)-acetic acid,  
({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-2-yl}-N-ethyl-amino)-acetic acid,  
({1-[1-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-ethyl-amino)-acetic acid,

~~((1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-4-methyl-2-yl))-N-ethyl-amino)-acetic acid~~ (~~{1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-3-methyl-2-yl}~~-N-ethyl-amino)-acetic acid,

(~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid (S)-(~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid, (~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid, (S)-(~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-ethyl-amino)-acetic acid (S)-(~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-ethyl-amino)-acetic acid, (~~{1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-ethyl-amino)-acetic acid, (~~{1-[2-(4-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-ethyl-amino)-acetic acid, (~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy-methyl]-propyl}~~-N-methyl-amino)-acetic acid, (~~{1-[2-(4-Chloro-phenylsulfanyl)-phenoxy-methyl]-propyl}~~-N-ethyl-amino)-acetic acid, (N-Ethyl-~~{1-[2-(3-fluoro-phenylsulfanyl)-phenoxy-methyl]-propyl}~~-amino)-acetic acid, (R)-(~~{2-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-1-methyl-ethyl}~~-N-ethyl-amino)-acetic acid, (S)-(~~2{2-[2-(4-Chloro-phenoxy)-phenoxy]-propyl}~~-N-methyl-amino)-acetic acid (S)-(~~2-{1-[2-(4-Chloro-phenoxy)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid, (R)-(~~2{2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-}~~-propyl-N-methyl-amino)-acetic acid (R)-(~~2-{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid, (~~{2-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propyl}~~-N-methyl-amino)-acetic acid, (~~{2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-1-yl}~~-N-ethyl-amino)-acetic acid, (~~{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}~~-N-methyl-amino)-acetic acid, (~~{3-methyl-1-[2-(4-trifluoromethyl-phenylsulfanyl)-phenoxy]-butan-2-yl}~~-N-ethyl-amino)-acetic acid,

(~~{1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-2-yl}~~-N-methyl-amino)-acetic acid, (S)-(~~1{2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid (S)-(~~{1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid,

(S)-(~~2{2-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propyl}~~-N-methyl-amino)-acetic acid (S)-(~~{1-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl}~~-N-methyl-amino)-acetic acid, (~~{1-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}~~-N-ethyl-amino)-acetic acid,

(S)-({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-methyl-amino)-acetic acid,  
~~(({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}-N-methyl-amino)-~~  
~~acetic acid~~ (({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}-N-  
methyl-amino)-acetic acid,

~~(({1-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-3-methyl-propan-2-yl}-N-ethyl-amino)-acetic~~  
~~acid~~ (({1-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-ethyl-amino)-acetic acid,

(({2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-propan-1-yl}-N-ethyl-amino)-acetic acid,

(({2-[2-(4-methoxy-phenylsulfanyl)-phenoxy]-propan-1-yl}-N-Cyclohexyl-amino)-acetic acid,

~~{[2-(2-(4-methylsulfanyl)-phenoxy)-propan-1-yl]-N-cyclohexyl-amino}-acetic acid~~ {[2-(2-(4-  
methyl-phenylsulfanyl)-phenoxy]-propan-1-yl]-N-cyclohexyl-amino}-acetic acid,

(({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-1-yl}-N-cyclohexyl-amino)-acetic acid,

(S)-1-{3-[2-(3-Fluoro-phenylsulfanyl)-phenyl]-propyl}-pyrrolidine-2-carboxylic acid,

(S)-2-(({2-[3-(3-Fluoro-phenylsulfanyl)-biphenyl-4-yloxy]-ethyl}-methyl-amino)-propionic acid,

(({2-[3-(3-Fluoro-phenylsulfanyl)-biphenyl-4-yloxy]-ethyl}-methyl-amino)-acetic acid,

(S)-1-{2-[4-Chloro-2-(3-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

~~(S)-1-{2-[3-Chloro-2-(3-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid~~

(S)-1-{2-[3-Chloro-2-(3-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

(S)-1-{2-[5-Chloro-2-(3-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

(S)-1-{2-[4-Cyano-2-(3-fluoro-phenylsulfanyl)-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid

(S)-1-[2-(5-Chloro-2-phenylsulfanyl-phenoxy)-ethyl]pyrrolidine-2-carboxylic acid,

(S)-1-{2-[3-(3-Fluoro-phenylsulfanyl)-biphenyl-4-yloxy]-ethyl}-pyrrolidine-2-carboxylic acid,

(S)-{2-[4'-Methoxy-3-(3-fluoro-phenylsulfanyl)-biphenyl-4-yloxy]-ethyl}-pyrrolidine-2-  
carboxylic acid,

(S)-{2-[4'-Cyano-3-(3-fluoro-phenylsulfanyl)-biphenyl-4-yloxy]-ethyl}-pyrrolidine-2-carboxylic  
acid,

(S)-1-{2-[4'-Cyano-4-(3-fluoro-phenylsulfanyl)-biphenyl-3-yloxy]-ethyl}-pyrrolidine-2-  
carboxylic acid,

(S)-1-{2-[2-(3-Fluoro-phenylsulfanyl)-5-thiophen-3-yl-phenoxy]-ethyl}-pyrrolidine-2-  
carboxylic acid,

(S)-1-{2-[2-(3-Fluoro-phenylsulfanyl)-4-pyrimidin-5-yl-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

(S)-1-{2-[3-(3-Fluoro-phenylsulfanyl)-3-methanesulfonyl-biphenyl-4-yloxy]-ethyl}-pyrrolidine-2(S)-carboxylic acid,

(S)-1-{2-[2-(3-Fluoro-phenylsulfanyl)-4-morpholin-4-yl-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

(S)-1-{2-[2-(3-Fluoro-phenylsulfanyl)-4-piperidin-1-yl-phenoxy]-ethyl}-pyrrolidine-2-carboxylic acid,

or a pharmaceutically acceptable salt thereof. Each of these compounds is considered a specific embodiment and may be subject to individual claims.--

Please replace the paragraph at page 24, line 31 through page 25, line 29, with the following paragraph:

-- In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of Alzheimer's disease. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of multi-infarct dementia. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of AIDS dementia. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of dementia. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of Huntington's disease. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of Parkinson's disease. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of amyotrophic lateral sclerosis. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of diseases wherein the brain is damaged by inner or outer influence. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of trauma to the head. In a further embodiment, the present invention relates to

use of a compound of formula I for the preparation of a medicament for the treatment of stroke. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of convulsive disorders. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of epilepsy. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of spasticity. In a further embodiment, the present invention relates to use of a compound of formula I for the preparation of a medicament for the treatment of myoclonus. In a further embodiment, the present invention relates to the use of a compound of formula I as above or a pharmaceutically acceptable acid addition salt thereof for the preparation of a medicament for the treatment of post-traumatic stress disorder. The medicament may comprise any one of the embodiments of formula I described above.--

Please replace the paragraph at page 52, lines 20-22, with the following paragraph:

--~~**1au** ({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid~~ ({2-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-ethyl}-N-methyl-amino)-acetic acid  
from [(2-Hydroxy-ethyl)-methyl-amino]-acetic acid tert-butyl ester  
LC/MS (m/z) 351.9 (MH<sup>+</sup>); RT = 2.02; purity (UV, ELSD): 98%, 100%; yield: 9.9mg

Please replace the paragraph at page 56, lines 23-26, with the following paragraph:

--~~**1bx** ({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-butan-2-yl}-N-ethyl-amino)-acetic acid~~ ({1-[2-(3,4-Dichloro-phenylsulfanyl)-phenoxy]-butan-2-yl}-N-ethyl-amino)-acetic acid  
from [Ethyl-(1-hydroxymethyl-propyl)-amino]-acetic acid tert-butyl ester  
LC/MS (m/z) 428.1 (MH<sup>+</sup>); RT = 2.46; purity (UV, ELSD): 94%, 100%; yield: 4.6mg--

Please replace the paragraph at page 57, lines 11-14, with the following paragraph:

--~~**1cb** ({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-4-methyl-2-yl}-N-ethyl-amino)-acetic acid~~ ({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-butan-3-methyl-2-yl}-N-ethyl-amino)-acetic acid  
from [Ethyl-(1-hydroxymethyl-2-methyl-propyl)-amino]-acetic acid tert-butyl ester

LC/MS (m/z) 426.2 (MH<sup>+</sup>); RT = 2.42; purity (UV, ELSD): 90%, 100%; yield: 0.9mg--

Please replace the paragraph at page 57, lines 21-24, with the following paragraph:

~~--1cd (S) (1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl)-N-methyl-amino)-acetic acid~~  
(S)-({1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-methyl-amino)-acetic acid  
from (S)-[(2-Hydroxy-1-methyl-ethyl)-methyl-amino]-acetic acid tert-butyl ester

LC/MS (m/z) 366.2 (MH<sup>+</sup>); RT = 2.08; purity (UV, ELSD): 98%, 97%; yield: 4.4mg--

Please replace the paragraph at page 57, lines 26-29, with the following paragraph:

~~--1ce (S) ({1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl)-N-ethyl-amino)-acetic acid~~  
(S)-({1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-ethyl-amino)-acetic acid  
from (S)-[Ethyl-(2-hydroxy-1-methyl-ethyl)-amino]-acetic acid tert-butyl ester

LC/MS (m/z) 380.2 (MH<sup>+</sup>); RT = 2.18; purity (UV, ELSD): 72%, 100%; yield: 1.3mg--

Please replace the paragraph at page 58, lines 29-31, with the following paragraph:

~~--1cl (S) (2-[2-(2-(4-Chloro-phenoxy)-phenoxy]-propyl)-N-methyl-amino)-acetic acid~~ (S)-(2-{1[2-(4-Chloro-phenoxy)-phenoxy]-propan-2-yl}-N-methyl-amino)-acetic acid from (S)-[(2-Hydroxy-1-methyl-ethyl)-methyl-amino]-acetic acid tert-butyl ester

LC/MS (m/z) 350.1 (MH<sup>+</sup>); RT = 2.00; purity (UV, ELSD): 96%, 97%; yield: 2.6mg--

Please replace the paragraph at page 59, lines 1-4, with the following paragraph:

~~--1cm (R) (2-[2-(2-(3-Chloro-phenylsulfanyl)-phenoxy]-} propyl)-N-methyl-amino)-acetic acid~~  
(R)-(2-{1-[2-(3-Chloro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-methyl-amino)-acetic acid  
from (R)-[(2-Hydroxy-1-methyl-ethyl)-methyl-amino]-acetic acid tert-butyl ester

LC/MS (m/z) 366.1 (MH<sup>+</sup>); RT = 2.10; purity (UV, ELSD): 98%, 98%; yield: 6.1mg--

Please replace the paragraph at page 59, lines 31-33, with the following paragraph:

~~--1cs (S) (1-[2-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl]-N-methyl-amino)-acetic acid~~  
(S)-({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-methyl-amino)-acetic acid

*from (S)-[(2-Hydroxy-1-methyl-ethyl)-methyl-amino]-acetic acid tert-butyl ester*

LC/MS (m/z) 384.1 (MH<sup>+</sup>); RT = 2.16; purity (UV, ELSD): 97%, 100%; yield: 3.7mg--

Please replace the paragraph at page 60, lines 1-4, with the following paragraph:

~~--1ct (S)- (2-{2-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propyl}-N-methyl-amino)-acetic acid (S)-  
{[1-[2-(3-Fluoro-phenylsulfanyl)-phenoxy]-propan-2-yl]-N-methyl-amino)-acetic acid~~

*from (S)-[(2-Hydroxy-1-methyl-ethyl)-methyl-amino]-acetic acid tert-butyl ester*

LC/MS (m/z) 350.1 (MH<sup>+</sup>); RT = 1.97; purity (UV, ELSD): 91%, 97%; yield: 5.5mg--

Please replace the paragraph at page 60, lines 16-19, with the following paragraph:

~~--1cw ({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}-N-methyl-  
amino)-acetic acid ({1-[2-(3-Chloro-4-fluoro-phenylsulfanyl)-phenoxy]-3-methyl-butan-2-yl}-N-  
methyl-amino)-acetic acid~~

*from [(1-Hydroxymethyl-2-methyl-propyl)-methyl-amino]-acetic acid tert-butyl ester*

LC/MS (m/z) 412.0 (MH<sup>+</sup>); RT = 2.35; purity (UV, ELSD): 87%, 97%; yield: 3.0mg--

Please replace the paragraph at page 60, lines 21-24, with the following paragraph:

~~--1cx ({1-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-3-methyl-propan-2-yl}-N-ethyl-amino)-  
acetic acid ({1-[2-(4-tert-Butyl-phenylsulfanyl)-phenoxy]-propan-2-yl}-N-ethyl-amino)-acetic  
acid~~

*from [Ethyl-(2-hydroxy-1-methyl-ethyl)-amino]-acetic acid tert-butyl ester*

LC/MS (m/z) 402.2 (MH<sup>+</sup>); RT = 2.53; purity (UV, ELSD): 90%, 99%; yield: 3.4mg--

Please replace the paragraph at page 61, lines 3-6, with the following paragraph:

~~--1da {2-(2-(4-methylsulfanyl)-phenoxy)-propan-1-yl}-N-cyclohexyl-amino}-acetic acid  
{2-(2-(4-methyl-phenylsulfanyl)-phenoxy)-propan-1-yl}-N-cyclohexyl-amino}-acetic acid~~

*from [Cyclohexyl-(2-hydroxy-propyl)-amino]-acetic acid tert-butyl ester*

LC/MS (m/z) 414.4 (MH<sup>+</sup>); RT = 2.50; purity (UV, ELSD): 79%, 100%; yield: 1.1mg--

Please replace the paragraph at page 63, lines 24-27, with the following paragraph:



--**3b** ~~(S)-1-{2-[3-Chloro-2-(3-fluoro-phenylsulfonyl)-phenoxy]-ethyl}pyrrolidine-2-carboxylic acid hydrochloride~~ (S)-1-{2-[3-Chloro-2-(3-fluoro-phenylsulfonyl)-phenoxy]-ethyl}pyrrolidine-2-carboxylic acid hydrochloride  
from of 3-Chloro-2-(3-fluoro-phenylsulfonyl)-phenol  
Yield 452mg--